CHINESE BOOST

Illness and doctors Chinese vocabulary: HSK 7-9, part 2

50 words with pinyin, 繁體 and meanings, 46 of them with an example sentence.
Every word here links to its entry on the site.

Illness and doctors Chinese vocabulary: HSK 7-9, part 2 on the web
The same words as a CSV, for Anki or a spreadsheet
A free account, which keeps 简体 or 繁體, pinyin or 注音 and the rest of how you read Chinese on every device

Chinese Boost. Licensed under a Creative Commons Attribution-ShareAlike 4.0 International Licence.

Words

复原 復原
fùyuán to restore (sth) to (its) former condition / to recover from illness / recovery

> 他有任何复原的机会吗?
> Tā yǒu rènhé fùyuán de jīhuì ma?
> Is there any chance that he'll recover?

治愈 治癒
zhìyù to cure / to restore to health / uplifting / heartwarming

> 医生治愈我。
> Yīshēng zhìyù wǒ.
> Doctor, cure me.

救治
jiùzhì to provide critical care (to a patient or a diseased plant)

> 伤员得到了及时救治。
> Shāngyuán dédàole jíshí jiùzhì.
> The wounded received prompt medical treatment.

复发 復發
fùfā to recur (of a disease) / to reappear / to relapse (into a former bad state)

> 他戒酒成功后，又复发了。
> Tā jièjiǔ chénggōng hòu, yòu fùfāle.
> After he successfully quit drinking, he relapsed.

确诊 確診
quèzhěn to make a definite diagnosis / confirmed (case of a specific disease)

> 他上周被确诊得了肺炎。
> Tā shàngzhōu bèi quèzhěn dé le fèiyán.
> He was diagnosed with pneumonia last week.

化验 化驗
huàyàn chemical examination / to do a lab test

> 化验结果明天上午就能出来。
> Huàyàn jiéguǒ míngtiān shàngwǔ jiù néng chūlái.
> The lab results will be ready tomorrow morning.

包扎 包紮
bāozā to wrap up / to pack / to bind up (a wound)

> 她用红纸把礼物包扎得很漂亮。
> Tā yòng hóng zhǐ bǎ lǐwù bāozā de hěn piàoliang.
> She wrapped up the gift very prettily in red paper.

并发症 併發症
bìngfāzhèng complications (undesired side-effect of medical procedure)

> 医生说糖尿病的并发症很严重。
> Yīshēng shuō tángniàobìng de bìngfāzhèng hěn yánzhòng.
> The doctor said the complications of diabetes are very serious.

麻痹 麻痺
mábì paralysis / palsy / numbness / to benumb / to lull / negligent / apathetic

> 别被表面的平静麻痹了。
> Bié bèi biǎomiàn de píngjìng mábìle.
> Don't be lulled by the calm on the surface.

休克
xiūkè (loanword) shock / to go into shock

> 他受伤后很快就休克了。
> Tā shòushāng hòu hěn kuài jiù xiūkè le.
> He went into shock soon after he was injured.

瘾 癮
yǐn addiction / craving

> 他玩游戏的瘾越来越大。
> Tā wán yóuxì de yǐn yuèláiyuè dà.
> His addiction to video games keeps getting worse.

复查 復查
fùchá to check again / to re-examine

> 交卷前，请你再复查一遍。
> Jiāojuàn qián, qǐng nǐ zài fùchá yíbiàn.
> Please check it over once more before you hand in your paper.

麻醉
mázuì anesthesia / to anesthetize / (fig.) to corrupt (sb's mind) / to enervate / to numb the mind (to escape from harsh reality)

> 手术前要先打麻醉吗?
> Shǒushù qián yào xiān dǎ mázuì ma?
> Do you have to get anesthesia before the surgery?

瘫 癱
tān paralyzed

> 车祸让他的双腿瘫了。
> Chēhuò ràng tā de shuāngtuǐ tānle.
> The car accident left both of his legs paralyzed.

药方 藥方
yàofāng prescription

> 我会给你开个药方。
> Wǒ huì gěi nǐ kāi gè yàofāng.
> I'll give you a prescription.

瘟疫
wēnyì plague / pestilence

> 成千上万的人死于瘟疫。
> Chéngqiān-shàngwàn de rén sǐ yú wēnyì.
> Thousands upon thousands have died from the epidemic.

精神病
jīngshénbìng mental disorder / psychosis

> 他在医院工作，专门研究精神病。
> Tā zài yīyuàn gōngzuò, zhuānmén yánjiū jīngshénbìng.
> He works at a hospital and specializes in researching mental disorders.

休养 休養
xiūyǎng to recuperate / to recover / to convalesce

> 我只想休养。
> Wǒ zhǐ xiǎng xiūyǎng.
> I just want to rest.

输血 輸血
shūxuè to transfuse blood / to give aid and support

> 输血以前，护士要先检查血型。
> Shūxuè yǐqián, hùshi yào xiān jiǎnchá xuèxíng.
> Before a transfusion, the nurse has to check the blood type.

就诊 就診
jiùzhěn to see a doctor / to seek medical advice

> 我下午要带妈妈去医院就诊。
> Wǒ xiàwǔ yào dài māma qù yīyuàn jiùzhěn.
> This afternoon I'm taking my mom to the hospital to see a doctor.

疤
bā scar / scab

> 我会留疤吗？
> Wǒ huì liú bā ma?
> Will I have a scar?

失明
shīmíng to lose one's eyesight / to become blind / blindness

> 他在意外中失明了。
> Tā zài yìwài zhōng shīmíngle.
> He lost his eyesight in the accident.

绷带 繃帶
bēngdài bandage

> 她裁下布制作绷带。
> Tā cái xià bù zhìzuò bēngdài.
> She cut up the cloth to make bandages.

病症
bìngzhèng disease / illness

> 老年人常见的病症有哪些？
> Lǎoniánrén chángjiàn de bìngzhèng yǒu nǎxiē?
> What are the common illnesses among the elderly?

胶囊 膠囊
jiāonáng capsule

> 小孩子不容易吞下胶囊。
> Xiǎoháizi bù róngyì tūn xià jiāonáng.
> Small children find it hard to swallow capsules.

瘸
qué lame

> 那只狗瘸了一条腿。
> Nà zhī gǒu quéle yìtiáotuǐ.
> That dog is lame in one leg.

诊所 診所
zhěnsuǒ clinic

> 她去了高须诊所。
> Tā qùle gāo xū zhěnsuǒ.
> She went to the Takasu clinic.

伤残 傷殘
shāngcán disabled / maimed / crippled / damaged

> 战争让许多士兵终身伤残。
> Zhànzhēng ràng xǔduō shìbīng zhōngshēn shāngcán.
> The war left many soldiers maimed for life.

疗养 療養
liáoyǎng to get well / to heal / to recuperate / to convalesce / convalescence / to nurse

> 她生病后在山里疗养半年。
> Tā shēngbìng hòu zài shān lǐ liáoyǎng bànnián.
> After falling ill, she convalesced in the mountains for half a year.

痴呆
chīdāi stupid / dull / dementia

> 医生怀疑爷爷患了痴呆。
> Yīshēng huáiyí yéye huàn le chīdāi.
> The doctor suspects my grandfather has developed dementia.

后遗症 後遺症
hòuyízhèng sequelae / residual effects / repercussions / aftermath

> 乱花钱会有后遗症的。
> Luànhuāqián huì yǒu hòuyízhèng de.
> Spending money recklessly will have repercussions.

口罩
kǒuzhào mask (surgical etc)

> 我的口罩在哪？
> Wǒ de kǒuzhào zài nǎ?
> Where's my mask?

耳鸣 耳鳴
ěrmíng tinnitus

抑郁症 抑鬱症
yìyùzhèng clinical depression

> 她吃了半年药，抑郁症好多了。
> Tā chīle bànnián yào, yìyùzhèng hǎo duō le.
> After taking medicine for half a year, her depression is much better.

病历 病歷

bìnglì medical record / case history

> 请把病历本带来，好吗？
> Qǐng bǎ bìnglì běn dàilái, hǎo ma?
> Could you bring your medical record book with you?

会诊 會診

huìzhěn consultation (medical) / to meet for diagnosis / consultation of different specialists

> 医院请了三位专家来会诊。
> Yīyuàn qǐngle sān wèi zhuānjiā lái huìzhěn.
> The hospital invited three specialists to consult on the case.

床位

chuángwèi bed (in hospital, hotel, train etc) / berth / bunk

> 我在宿舍的床位是上铺。
> Wǒ zài sùshè de chuángwèi shì shàngpù.
> My bunk in the dorm is the top one.

求医 求醫

qiúyī to seek medical treatment / to see a doctor

> 山区的老人求医很不方便。
> Shānqū de lǎorén qiúyī hěn bù fāngbiàn.
> It's very inconvenient for elderly people in the mountains to see a doctor.

缝合 縫合

fénghé to sew together / suture (in surgery) / to sew up (a wound)

> 她把两块布缝合在一起。
> Tā bǎ liǎng kuài bù fénghé zài yìqǐ.
> She sewed the two pieces of cloth together.

理疗 理療

lǐliáo physiotherapy

防疫

fángyì to prevent epidemics

> 戴口罩是为了防疫。
> Dài kǒuzhào shì wèile fángyì.
> Wearing a mask is to prevent the spread of disease.

处方药 處方藥

chǔfāngyào prescription drug

> 请问，这是处方药吗？
> Qǐngwèn, zhè shì chǔfāngyào ma?
> Excuse me, is this a prescription drug?

安眠药 安眠藥

ānmiányào sleeping pill

> 医生说，不要经常吃安眠药。
> Yīshēng shuō, búyào jīngcháng chī ānmiányào.
> The doctor said not to take sleeping pills often.

上火

shànghuǒ to get angry / to suffer from excessive internal heat (TCM)

> 吃太多辣的东西容易上火。
> Chī tài duō là de dōngxi róngyì shànghuǒ.
> Eating too much spicy food easily gives you excess internal heat.

救死扶伤 救死扶傷

jiùsǐfúshāng to help the dying and heal the injured

> 护士每天都在救死扶伤。
> Hùshi měitiān dōu zài jiùsǐfúshāng.
> Nurses save lives and tend to the injured every day.

麻醉药 麻醉藥

mázuìyào anesthetic / narcotic

> 手术前，医生给病人打了麻醉药。
> Shǒushù qián, yīshēng gěi bìngrén dǎle mázuìyào.
> Before the operation, the doctor gave the patient an anesthetic.

听诊器 聽診器

tīngzhěnqì stethoscope

筛查 篩查

shāichá to screen (for disease etc)

> 孕妇都要做这项筛查吗？
> Yùnfù dōu yào zuò zhè xiàng shāichá ma?
> Do all pregnant women need to have this screening?

非处方药 非處方藥

fēichǔfāngyào over-the-counter drug / OTC drug

蛀牙

zhùyá tooth decay / dental caries / decayed tooth / rotten tooth

> 我蛀牙很多。
> Wǒ zhùyá hěn duō.
> I have a lot of bad teeth.