CHINESE BOOST

Illness and doctors Chinese vocabulary: HSK 7-9

50 words with pinyin, 繁體 and meanings, 50 of them with an example sentence.
Every word here links to its entry on the site.

Illness and doctors Chinese vocabulary: HSK 7-9 on the web
The same words as a CSV, for Anki or a spreadsheet
A free account, which keeps 简体 or 繁體, pinyin or 注音 and the rest of how you read Chinese on every device

Chinese Boost. Licensed under a Creative Commons Attribution-ShareAlike 4.0 International Licence.

Words

体温计 體溫計
tǐwēnjì clinical thermometer

> 体温计显示他发烧了。
> Tǐwēnjì xiǎnshì tā fāshāole.
> The thermometer showed that he had a fever.

探望
tànwàng to visit / to call on sb / to look around

> 她探望了她在监狱里的丈夫。
> Tā tànwàngle tā zài jiānyù lǐ de zhàngfu.
> She visited her husband in prison.

处方 處方
chǔfāng medical prescription / to write out a prescription / recommendation / advice

> 请阅读处方。
> Qǐng yuèdú chǔfāng.
> Please read the prescription.

疫苗
yìmiáo vaccine

> 你小时候打过疫苗吗?
> Nǐ xiǎoshíhou dǎguò yìmiáo ma?
> Did you get vaccinated when you were little?

流行病
liúxíngbìng epidemic disease

> 学校因为流行病暂时停课了。
> Xuéxiào yīnwèi liúxíngbìng zànshí tíngkèle.
> The school closed temporarily because of an epidemic.

癌症
áizhèng cancer

> 他不是癌症死的。
> Tā bú shì áizhèng sǐ de.
> He did not die of cancer.

慢性病
mànxìngbìng chronic disease

> 我爷爷有慢性病，每天都要吃药。
> Wǒ yéye yǒu mànxìngbìng, měitiān dōu yào chīyào.
> My grandfather has a chronic disease and has to take medicine every day.

隔离 隔離
gélí to separate / to isolate

> 这片区域已隔离。
> Zhè piàn qūyù yǐ gélí.
> This area has been quarantined.

输液 輸液
shūyè intravenous infusion / to get put on an IV

> 输液的时候，手不能乱动。
> Shūyè de shíhou, shǒu bùnéng luàndòng.
> You shouldn't move your hand around while you're on an IV.

临床 臨床
línchuáng clinical

> 他有丰富的临床经验。
> Tā yǒu fēngfù de línchuáng jīngyàn.
> He has a wealth of clinical experience.

肿瘤 腫瘤
zhǒngliú tumor

> 医生说他的肿瘤是恶性的。
> Yīshēng shuō tā de zhǒngliú shì èxìng de.
> The doctor said his tumor is malignant.

艾滋病
àizībìng AIDS

> 我有艾滋病。
> Wǒ yǒu àizībìng.
> I have HIV.

慢性
mànxìng slow and patient / chronic (disease) / slow to take effect (e.g. a slow poison)

> 熬夜对身体是一种慢性毒药。
> Áoyè duì shēntǐ shì yìzhǒng mànxìng dúyào.
> Staying up late is a slow poison for the body.

急性
jíxìng acute

> 他一生为急性疼痛所苦。
> Tā yìshēng wèi jíxìng téngtòng suǒ kǔ.
> He's suffering from acute pain in his life.

痰
tán phlegm / spittle

> 他咳嗽，还吐了很多痰。
> Tā késou, hái tǔle hěn duō tán.
> He is coughing and has brought up a lot of phlegm.

高血压 高血壓
gāoxuèyā high blood pressure / hypertension

我有高血压。
Wǒ yǒu gāoxuèyā.
I have high blood pressure.

流血
liúxuè to bleed / to shed blood

伤口流血不止。
Shāngkǒu liúxiě bùzhǐ.
The wound will not stop bleeding.

恶化 惡化
èhuà to worsen

经济情况恶化。
Jīngjì qíngkuàng èhuà.
The economic situation grew worse.

注射
zhùshè injection / to inject

注射后手臂有点疼。
Zhùshè hòu shǒubì yǒudiǎn téng.
My arm hurts a little after the injection.

胀 脹
zhàng to swell / to distend / to expand / swollen / bloated

气球胀得太大，会破的。
Qìqiú zhàng de tài dà, huì pò de.
If the balloon swells too much, it will burst.

疗法 療法
liáofǎ therapy / treatment

你相信中医的疗法吗？
Nǐ xiāngxìn zhōngyī de liáofǎ ma?
Do you believe in the treatments of traditional Chinese medicine?

疗效 療效
liáoxiào healing efficacy / healing effect

新药的疗效怎么样？
Xīnyào de liáoxiào zěnmeyàng?
How effective is the new medicine?

伤势 傷勢
shāngshì condition of an injury

病人的伤势怎么样了？
Bìngrén de shāngshì zěnmeyàng le?
How is the patient's injury now?

呕吐 嘔吐
ǒutù to vomit

你是否有恶心呕吐的感觉。
Nǐ shìfǒu yǒu ěxīn ǒutù de gǎnjué.
Do you feel nauseous?

癌
ái cancer / (esp.) carcinoma

他得了癌，要住院治疗。
Tā dé le ái, yào zhùyuànzhìliáo.
He has cancer and needs to be hospitalized for treatment.

抗生素
kàngshēngsù antibiotic

吃抗生素时不能喝酒。
Chī kàngshēngsù shí bùnéng hējiǔ.
You shouldn't drink alcohol while taking antibiotics.

愈合 癒合
yùhé to heal

伤口还没愈合，别碰水。
Shāngkǒu hái méi yùhé, bié pèng shuǐ.
The wound hasn't healed yet, so keep it out of water.

糖尿病
tángniàobìng diabetes / diabetes mellitus

我有糖尿病。
Wǒ yǒu tángniàobìng.
I have diabetes.

昏迷
hūnmí to lose consciousness / to be in a coma / stupor / coma / stunned / disoriented

病人已经昏迷三天了。
Bìngrén yǐjīng hūnmí sāntiān le.
The patient has been in a coma for three days.

剂量 劑量
jìliàng dosage / prescribed dose of medicine

请按照医生开的剂量吃药。
Qǐng ànzhào yīshēng kāi de jìliàng chīyào.
Please take the medicine in the dose the doctor prescribed.

护理 護理
hùlǐ to nurse / to care for

医院里的护士正在护理病人。
Yīyuàn lǐ de hùshi zhèngzài hùlǐ bìngrén.
The nurses in the hospital are caring for patients.

孕妇 孕婦
yùnfù pregnant woman

孕妇应该远离辐射。
Yùnfù yīnggāi yuǎnlí fúshè.
Pregnant women should stay away from radiation.

疙瘩
gēda swelling or lump on skin / pimple / knot / lump / preoccupation / problem

他的鼻子上长了一个小疙瘩。
Tā de bízi shàng zhǎngle yí gè xiǎo gēda.
On his nose grew a small pimple.

泻 瀉
xiè diarrhea / a torrent / laxative / to flow out swiftly / to flood

瀑布从山顶直泻而下。
Pùbù cóng shāndǐng zhí xiè ér xià.
The waterfall pours straight down from the mountaintop.

恶性 惡性
èxìng malignant / wicked / vicious (circle) / producing evil / rapid (decline) / runaway (inflation)

医生说他的肿瘤是恶性的。
Yīshēng shuō tā de zhǒngliú shì èxìng de.
The doctor said his tumor is malignant.

瘫痪 癱瘓

tānhuàn to suffer paralysis / to be paralyzed / to break down / to come to a standstill

> 大雪让城市交通瘫痪了。
> Dàxuě ràng chéngshì jiāotōng tānhuànle.
> The heavy snow brought the city's traffic to a standstill.

虚弱 虛弱

xūruò weak / in poor health

> 我感到虚弱。
> Wǒ gǎndào xūruò.
> I feel weak.

切除

qiēchú to excise / to cut out (a tumor)

> 她下周要做手术切除肿瘤。
> Tā xiàzhōu yào zuò shǒushù qiēchú zhǒngliú.
> She is having surgery next week to remove a tumor.

就医 就醫

jiùyī to receive medical treatment

> 他发烧三天了，应该尽快就医。
> Tā fāshāo sāntiān le, yīnggāi jǐnkuài jiùyī.
> He has had a fever for three days and should get medical treatment soon.

良性

liángxìng positive (in its effect) / leading to good consequences / virtuous / benign (tumor etc)

> 检查结果出来了，是良性的。
> Jiǎnchá jiéguǒ chūláile, shì liángxìng de.
> The test results are in, and it's benign.

副作用

fùzuòyòng side effect

> 这药没有副作用。
> Zhè yào méiyǒu fùzuòyòng.
> This medicine has no side effects.

拐杖

guǎizhàng crutches / crutch / walking stick

> 爷爷拄着拐杖慢慢走路。
> Yéye zhǔzhe guǎizhàng mànmàn zǒulù.
> Grandpa walks slowly, leaning on his cane.

发热 發熱

fārè to have a high temperature / feverish / unable to think calmly / to emit heat

> 我今天早上有点发热。
> Wǒ jīntiān zǎoshang yǒudiǎn fārè.
> I had a little fever this morning.

骨折

gǔzhé to suffer a fracture / to break / fracture

> 他们手腕骨折了。
> Tāmen shǒuwàn gǔzhé le.
> They fractured their wrists.

衰竭

shuāijié organ failure / exhaustion / prostration (medicine)

> 病人的肾开始衰竭了。
> Bìngrén de shèn kāishǐ shuāijiéle.
> The patient's kidneys have begun to fail.

腹泻 腹瀉

fùxiè diarrhea / to have the runs

> 腹泻时要多喝水。
> Fùxiè shí yào duō hēshuǐ.
> When you have diarrhea, drink plenty of water.

伤痕 傷痕

shānghén scar / bruise

> 手臂上还留着一道伤痕。
> Shǒubì shàng hái liúzhe yídào shānghén.
> A scar still remains on his arm.

创伤 創傷

chuāngshāng wound / injury / trauma

> 童年的创伤很难忘记。
> Tóngnián de chuāngshāng hěn nán wàngjì.
> The trauma of childhood is hard to forget.

窒息

zhìxī to choke / to stifle / to suffocate

> 真是令人窒息。
> Zhēnshi lìngrén zhìxī.
> The whole thing is utterly oppressive.

医务 醫務

yīwù medical affairs

> 医务工作很辛苦。
> Yīwù gōngzuò hěn xīnkǔ.
> Medical work is very hard.